

## Hyperthermie in der Krebsbehandlung

Emanuel Stutz, Emsad Puric, Olaf Timm, Dietmar Marder, Niloy R. Datta, Stephan Bodis

### Referenzen und Bilder

- [1] Breasted JH. The Edwin Schmid surgical papyrus. In: Licht S, editor. Therapeutic heat and coal. 2nd ed., Baltimore: Waverly Press; 1930: p. 196.
- [2] Coley WB. The treatment of malignant tumors by repeated inoculations of erysipelas, with a report of ten original cases. *Am J Med Sci* 1893;105:488–511.
- [3] Overgaard J. The heat is (still) on--the past and future of hyperthermic radiation oncology. *Radiother Oncol.* 2013;109:185-7.
- [4] Oei AL, Vriend LE, Crezee J, Franken NA, Krawczyk PM. Effects of hyperthermia on DNA repair pathways: one treatment to inhibit them all. *Radiat Oncol.* 2015;10:165.
- [5] Datta NR, Ordonez SG, Gaipf US, Paulides MM, Crezee H, Gellermann J, et al. Local hyperthermia combined with radiotherapy and/or chemotherapy: recent advances and promises for the future. *Cancer Treat Rev* 2015;41:742-53.
- [6] Peeken JC, Vaupel P, Combs SE. Integrating Hyperthermia into Modern Radiation Oncology: What Evidence Is Necessary? *Front Oncol.* 2017;7:132.
- [7] Datta NR, Puric E, Klingbiel D, Gomez S, Bodis S. Hyperthermia and Radiation Therapy in Locoregional Recurrent Breast Cancers: A Systematic Review and Meta-analysis. *Int J Radiat Oncol Biol Phys* 2016;94:1073-87.
- [8] Datta NR, Rogers S, Klingbiel D, Gomez S, Puric E, Bodis S. Hyperthermia and radiotherapy with or without chemotherapy in locally advanced cervical cancer: a systematic review with conventional and network meta-analyses. *Int J Hyperthermia* 2016;32:809-21.
- [9] Franckena M, Stalpers LJ, Koper PC, Wiggeraad RG, Hoogenraad WJ, van Dijk JD, et al. Long-term improvement in treatment outcome after radiotherapy and hyperthermia in locoregionally advanced cervix cancer: an update of the Dutch Deep Hyperthermia Trial. *Int J Radiat Oncol Biol Phys* 2008;70:1176-82.
- [10] Overgaard J, Gonzalez Gonzalez D, Hulshof MC, Arcangeli G, Dahl O, Mella O, et al. Randomised trial of hyperthermia as adjuvant to radiotherapy for recurrent or metastatic malignant melanoma. *European Society for Hyperthermic Oncology. Lancet* 1995;345:540-3.

- [11] Issels RD, Lindner LH, Verweij J, Wust P, Reichardt P, Schem BC, et al. Neo-adjuvant chemotherapy alone or with regional hyperthermia for localised high-risk soft-tissue sarcoma: a randomised phase 3 multicentre study. *Lancet Oncol* 2010;11:561-570.
- [12] Datta NR, Rogers S, Ordonez SG, Puric E, Bodis S. Hyperthermia and radiotherapy in the management of head and neck cancers: A systematic review and meta-analysis. *Int J Hyperthermia* 2016;32:31-40.
- [13] Datta NR, Eberle B, Puric E, Meister A, Marder D, Tim O, et al. Is hyperthermia combined with radiotherapy adequate in elderly patients with muscle-invasive bladder cancers? Thermo-radiobiological implications from an audit of initial results. *Int J Hyperthermia* 2016;32:390-7.
- [14] ClinicalTrials.gov: <https://clinicaltrials.gov/ct2/show/NCT01904565?term=hyprosar&rank=1>  
[Accessed 24.10.2017]
- [15] Datta NR, Schneider R, Puric E, Ahlhelm FJ, Marder D, Bodis S, et al. Proton irradiation with hyperthermia in unresectable soft tissue sarcoma. *Int J Particle Ther* 2016;3:327-36.
- [16] ClinicalTrials.gov: <https://clinicaltrials.gov/ct2/show/NCT02439593?term=heatpac&rank=1>  
[Accessed 24.10.2017]

**Bild 1**



**Bild 1A.**

Lymphknotenrezidiv einer ebendort vorbestrahlten Mammakarzinom-Patientin, welches auch auf Chemotherapie nicht ansprach. Es erfolgte aufgrund der Radiotherapie-Vorbestrahlung eine kombinierte Thermo-Radiotherapie.



**Bild 1B.**

Im Rahmen der 6-Monats-Nachkontrolle zeigte sich eine klinische Komplettremission ohne sicht- oder palpierbaren Tumor. Die Nebenwirkungen beschränkten sich auf eine Induration, Bräunung und Teleangiektasien an der ursprünglichen Tumorlokalisierung. Die Funktionalität war uneingeschränkt.